

Product Data Sheet

PRODUCT CODE / PART NUMBER: DY6008-HS-034C-1G-PU/RUBBER-S3 SRC-SIZE e9

PRODUCT: Static Dissipative Safety Shoes, Black with Red Trim

BRRAND NAME: **EUROSTAT®**

FEATURES:

This safety shoe is made of Buffalo Crazy Horse Leather, Mesh Lining, Mesh + EVA + Latex insole, PU Midsole, Rubber Outsole, Composite Toe Cap and Composite Midplate.

- 200J Impact Resistance
- 15KN Compression Resistance
- 1100N Penetration Resistance
- Water Resistant
- Excellent Comfort
- Non-Marking Outsole
- Slip Resistant Outsole (SRC)



Specifications

Item	Properties / Typical Values	Test Method
Materials	Upper : Buffalo Crazy Horse Leather Toe Cap : Composite Midplate : Composite Midsole : Static Dissipative PU Outsole : Static Dissipative Rubber	
Footwear only Resistance	< 1.0 × 10 ⁹ ohms	ANSI/ESD STM9.1
Footwear System Resistance	< 1.0 × 10 ⁹ ohms	ANSI/ESD STM9.1
Electrical System Resistance of a person wearing footwear while standing on conductive flooring	< 1.0 × 10 ⁹ ohms	ANSI/ESD STM97.1
Color	Upper : Black/Red Sole : Black/Red	
Sizes (European)	37, 38, 39, 40, 41, 42, 43, 44, 45, 46 & 47	
Optional	EUROSTAT® Anti-Fatigue PU insole	Standard is Static Dissipative EVA insole
Conformity	1. The safety footwear detailed above meets the criteria of an EC Type Examination in accordance with Article 10 of the PPE Directive (89/686/EEC) including amendments and corrigendum up to 14/12/2010 for immediate design category products. This has been shown through satisfactory testing to EN ISO 20345:2011 and examination of the technical documentation (Category: S3 SRC) 2. SNI 7079-2009 (NPB 104-116-170603)	

RUBBER OUTSOLE (#026)	COMPOSITE MIDPLATE	COMPOSITE TOE CAP

The values shown above were developed from random samples taken from production material. To the best of our knowledge, we believe them to be typical for the product. However actual values may vary somewhat from those depicted here and Dou Yee Enterprises makes no warranty, expressed or implied, as to the suitability of these materials for any specific use. Customers should determine product suitability based upon their own internal criteria.

Date: 2017 / 2018